

Test Report

Page 1 of 3

Report Number : Q230003aR231595
Job Number : R231595
Issue Date : 10/10/2023
Applicant Name : Acuity Sustainability Consulting Limited
Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,
Cheung Sha Wan, Kowloon, Hong Kong
Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works
Test Required : Total Suspended Solids (TSS)
Sampling Date : 03/10/2023
Date Samples Received : 03/10/2023
Sample Nature : Wastewater
Number of Samples Received : 12
Condition Received : Sample(s) arrived laboratory in chilled condition
Type of Container : HDPE Plastic Bottles
Laboratory ID : R231595/1 – 12
Test Period : 03/10/2023 – 04/10/2023
Method Used : APHA 23ed 2540D for Total Suspended Solids

Test Result : Refer to the results on page 2-3.

For and on behalf of

Acumen Laboratory and Testing Limited

Authorized Signature :



Hui Wai Fung, Huntington

Laboratory Manager

Chemical and Microbiological Division

Acumen Laboratory and Testing Limited

Flat/Rm D, 12/F, Ford Glory Plaza, Nos. 37-39 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
 Tel: (852) 2333 6823 Fax: (852) 2333 1316

HOKLAS 241
TEST

Test Report

Page 2 of 3

Report Number : Q230003aR231595
 Job Number : R231595
 Issue Date : 10/10/2023

Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R231595/1	03/10/2023	U2	2.1
R231595/2	03/10/2023	U2#	2.1
R231595/3	03/10/2023	U1	1.6
R231595/4	03/10/2023	U1#	1.9
R231595/5	03/10/2023	SW	4.6
R231595/6	03/10/2023	SW#	4.4
R231595/7	03/10/2023	HT	3.7
R231595/8	03/10/2023	HT#	3.8
R231595/9	03/10/2023	TKW1	2.1
R231595/10	03/10/2023	TKW1#	2.6
R231595/11	03/10/2023	TKW	3.1
R231595/12	03/10/2023	TKW#	2.8

Test Report

Page 3 of 3

Report Number : Q230003aR231595
Job Number : R231595
Issue Date : 10/10/2023

Note:

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

End of Report

Test Report

Page 1 of 3


Report Number : Q230003aR231600
Job Number : R231600
Issue Date : 12/10/2023
Applicant Name : Acuity Sustainability Consulting Limited
Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,
Cheung Sha Wan, Kowloon, Hong Kong
Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works
Test Required : Total Suspended Solids (TSS)
Sampling Date : 05/10/2023
Date Samples Received : 05/10/2023
Sample Nature : Wastewater
Number of Samples Received : 12
Condition Received : Sample(s) arrived laboratory in chilled condition
Type of Container : HDPE Plastic Bottles
Laboratory ID : R231600/1 – 12
Test Period : 05/10/2023 – 06/10/2023
Method Used : APHA 23ed 2540D for Total Suspended Solids

Test Result : Refer to the results on page 2-3.

For and on behalf of

Acumen Laboratory and Testing Limited

Authorized Signature :



Hui Wai Fung, Huntington

Laboratory Manager

Chemical and Microbiological Division

Acumen Laboratory and Testing Limited

Flat/Rm D, 12/F, Ford Glory Plaza, Nos. 37-39 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
 Tel: (852) 2333 6823 Fax: (852) 2333 1316

HOKLAS 241
 TEST

Test Report

Page 2 of 3

Report Number : Q230003aR231600
 Job Number : R231600
 Issue Date : 12/10/2023

Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R231600/1	05/10/2023	U2	4.2
R231600/2	05/10/2023	U2#	4.1
R231600/3	05/10/2023	U1	5.2
R231600/4	05/10/2023	U1#	5.2
R231600/5	05/10/2023	SW	8.6
R231600/6	05/10/2023	SW#	8.8
R231600/7	05/10/2023	HT	17
R231600/8	05/10/2023	HT#	15
R231600/9	05/10/2023	TKW1	13
R231600/10	05/10/2023	TKW1#	15
R231600/11	05/10/2023	TKW	10
R231600/12	05/10/2023	TKW#	12

Test Report

Page 3 of 3

Report Number : Q230003aR231600
Job Number : R231600
Issue Date : 12/10/2023

Note:

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

End of Report

Test Report

Page 1 of 3


Report Number : Q230003aR231601
Job Number : R231601
Issue Date : 12/10/2023
Applicant Name : Acuity Sustainability Consulting Limited
Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,
Cheung Sha Wan, Kowloon, Hong Kong
Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works
Test Required : Total Suspended Solids (TSS)
Sampling Date : 10/10/2023
Date Samples Received : 10/10/2023
Sample Nature : Wastewater
Number of Samples Received : 12
Condition Received : Sample(s) arrived laboratory in chilled condition
Type of Container : HDPE Plastic Bottles
Laboratory ID : R231601/1 – 12
Test Period : 10/10/2023 – 11/10/2023
Method Used : APHA 23ed 2540D for Total Suspended Solids

Test Result : Refer to the results on page 2-3.

For and on behalf of

Acumen Laboratory and Testing Limited

Authorized Signature :



Hui Wai Fung, Huntington
Laboratory Manager
Chemical and Microbiological Division

Acumen Laboratory and Testing Limited

Flat/Rm D, 12/F, Ford Glory Plaza, Nos. 37-39 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
 Tel: (852) 2333 6823 Fax: (852) 2333 1316

HOKLAS 241
TEST

Test Report

Page 2 of 3

Report Number : Q230003aR231601
 Job Number : R231601
 Issue Date : 12/10/2023

Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R231601/1	10/10/2023	U2	3.1
R231601/2	10/10/2023	U2#	2.8
R231601/3	10/10/2023	U1	2.7
R231601/4	10/10/2023	U1#	2.7
R231601/5	10/10/2023	SW	3.4
R231601/6	10/10/2023	SW#	4.2
R231601/7	10/10/2023	HT	3.2
R231601/8	10/10/2023	HT#	3.2
R231601/9	10/10/2023	TKW1	6.9
R231601/10	10/10/2023	TKW1#	6.9
R231601/11	10/10/2023	TKW	12
R231601/12	10/10/2023	TKW#	12

Test Report

Page 3 of 3

Report Number : Q230003aR231601
Job Number : R231601
Issue Date : 12/10/2023

Note:

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

End of Report

Test Report

Page 1 of 3


Report Number : Q230003aR231625
Job Number : R231625
Issue Date : 18/10/2023
Applicant Name : Acuity Sustainability Consulting Limited
Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,
Cheung Sha Wan, Kowloon, Hong Kong
Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works
Test Required : Total Suspended Solids (TSS)
Sampling Date : 12/10/2023
Date Samples Received : 12/10/2023
Sample Nature : Wastewater
Number of Samples Received : 12
Condition Received : Sample(s) arrived laboratory in chilled condition
Type of Container : HDPE Plastic Bottles
Laboratory ID : R231625/1 – 12
Test Period : 12/10/2023 – 13/10/2023
Method Used : APHA 23ed 2540D for Total Suspended Solids

Test Result : Refer to the results on page 2-3.

For and on behalf of

Acumen Laboratory and Testing Limited

Authorized Signature :



Hui Wai Fung, Huntington

Laboratory Manager

Chemical and Microbiological Division

Acumen Laboratory and Testing Limited

Flat/Rm D, 12/F, Ford Glory Plaza, Nos. 37-39 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
 Tel: (852) 2333 6823 Fax: (852) 2333 1316

HOKLAS 241
TEST

Test Report

Page 2 of 3

Report Number : Q230003aR231625
 Job Number : R231625
 Issue Date : 18/10/2023

Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R231625/1	12/10/2023	U2	4.3
R231625/2	12/10/2023	U2#	3.9
R231625/3	12/10/2023	U1	4.3
R231625/4	12/10/2023	U1#	3.8
R231625/5	12/10/2023	SW	3.0
R231625/6	12/10/2023	SW#	2.5
R231625/7	12/10/2023	HT	3.6
R231625/8	12/10/2023	HT#	3.1
R231625/9	12/10/2023	TKW1	6.6
R231625/10	12/10/2023	TKW1#	7.0
R231625/11	12/10/2023	TKW	6.1
R231625/12	12/10/2023	TKW#	6.3

Acumen Laboratory and Testing Limited

Flat/Rm D, 12/F, Ford Glory Plaza, Nos. 37-39 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
Tel: (852) 2333 6823 Fax: (852) 2333 1316

Test Report

Page 3 of 3

Report Number : Q230003aR231625
Job Number : R231625
Issue Date : 18/10/2023

Note:

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

End of Report

Test Report

Page 1 of 3


Report Number : Q230003aR231626
Job Number : R231626
Issue Date : 18/10/2023
Applicant Name : Acuity Sustainability Consulting Limited
Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,
Cheung Sha Wan, Kowloon, Hong Kong
Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works
Test Required : Total Suspended Solids (TSS)
Sampling Date : 14/10/2023
Date Samples Received : 14/10/2023
Sample Nature : Wastewater
Number of Samples Received : 12
Condition Received : Sample(s) arrived laboratory in chilled condition
Type of Container : HDPE Plastic Bottles
Laboratory ID : R231626/1 – 12
Test Period : 14/10/2023 – 16/10/2023
Method Used : APHA 23ed 2540D for Total Suspended Solids

Test Result : Refer to the results on page 2-3.

For and on behalf of

Acumen Laboratory and Testing Limited

Authorized Signature :



Hui Wai Fung, Huntington
Laboratory Manager
Chemical and Microbiological Division

Acumen Laboratory and Testing Limited

Flat/Rm D, 12/F, Ford Glory Plaza, Nos. 37-39 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
 Tel: (852) 2333 6823 Fax: (852) 2333 1316

HOKLAS 241
 TEST

Test Report

Page 2 of 3

Report Number : Q230003aR231626
 Job Number : R231626
 Issue Date : 18/10/2023

Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R231626/1	14/10/2023	U2	3.4
R231626/2	14/10/2023	U2#	3.0
R231626/3	14/10/2023	U1	2.0
R231626/4	14/10/2023	U1#	2.1
R231626/5	14/10/2023	SW	3.9
R231626/6	14/10/2023	SW#	3.4
R231626/7	14/10/2023	HT	3.8
R231626/8	14/10/2023	HT#	3.3
R231626/9	14/10/2023	TKW1	6.1
R231626/10	14/10/2023	TKW1#	6.1
R231626/11	14/10/2023	TKW	4.0
R231626/12	14/10/2023	TKW#	4.0

Acumen Laboratory and Testing Limited

Flat/Rm D, 12/F, Ford Glory Plaza, Nos. 37-39 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
Tel: (852) 2333 6823 Fax: (852) 2333 1316

Test Report

Page 3 of 3

Report Number : Q230003aR231626
Job Number : R231626
Issue Date : 18/10/2023

Note:

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

End of Report

Acumen Laboratory and Testing Limited

Flat/Rm D, 12/F, Ford Glory Plaza, Nos. 37-39 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
Tel: (852) 2333 6823 Fax: (852) 2333 1316

Test Report

Page 1 of 3


Report Number : Q230003aR231627
Job Number : R231627
Issue Date : 18/10/2023
Applicant Name : Acuity Sustainability Consulting Limited
Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,
Cheung Sha Wan, Kowloon, Hong Kong
Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works
Test Required : Total Suspended Solids (TSS)
Sampling Date : 17/10/2023
Date Samples Received : 17/10/2023
Sample Nature : Wastewater
Number of Samples Received : 12
Condition Received : Sample(s) arrived laboratory in chilled condition
Type of Container : HDPE Plastic Bottles
Laboratory ID : R231627/1 – 12
Test Period : 17/10/2023 – 18/10/2023
Method Used : APHA 23ed 2540D for Total Suspended Solids

Test Result : Refer to the results on page 2-3.

For and on behalf of

Acumen Laboratory and Testing Limited

Authorized Signature :



Hui Wai Fung, Huntington
Laboratory Manager
Chemical and Microbiological Division

Acumen Laboratory and Testing Limited

Flat/Rm D, 12/F, Ford Glory Plaza, Nos. 37-39 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
 Tel: (852) 2333 6823 Fax: (852) 2333 1316

Test Report

Page 2 of 3

Report Number : Q230003aR231627
 Job Number : R231627
 Issue Date : 18/10/2023

Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R231627/1	17/10/2023	U2	2.1
R231627/2	17/10/2023	U2#	2.0
R231627/3	17/10/2023	U1	2.0
R231627/4	17/10/2023	U1#	2.2
R231627/5	17/10/2023	SW	3.6
R231627/6	17/10/2023	SW#	3.8
R231627/7	17/10/2023	HT	3.4
R231627/8	17/10/2023	HT#	4.0
R231627/9	17/10/2023	TKW1	7.1
R231627/10	17/10/2023	TKW1#	6.7
R231627/11	17/10/2023	TKW	5.4
R231627/12	17/10/2023	TKW#	6.3

Test Report

Page 3 of 3

Report Number : Q230003aR231627
Job Number : R231627
Issue Date : 18/10/2023

Note:

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

End of Report

Test Report

Page 1 of 3


Report Number : Q230003aR231675
Job Number : R231675
Issue Date : 25/10/2023
Applicant Name : Acuity Sustainability Consulting Limited
Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,
Cheung Sha Wan, Kowloon, Hong Kong
Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works
Test Required : Total Suspended Solids (TSS)
Sampling Date : 19/10/2023
Date Samples Received : 19/10/2023
Sample Nature : Wastewater
Number of Samples Received : 12
Condition Received : Sample(s) arrived laboratory in chilled condition
Type of Container : HDPE Plastic Bottles
Laboratory ID : R231675/1 – 12
Test Period : 19/10/2023 – 20/10/2023
Method Used : APHA 23ed 2540D for Total Suspended Solids

Test Result : Refer to the results on page 2-3.

For and on behalf of

Acumen Laboratory and Testing Limited

Authorized Signature :



Hui Wai Fung, Huntington

Laboratory Manager

Chemical and Microbiological Division

Acumen Laboratory and Testing Limited

Flat/Rm D, 12/F, Ford Glory Plaza, Nos. 37-39 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
 Tel: (852) 2333 6823 Fax: (852) 2333 1316

HOKLAS 241
 TEST

Test Report

Page 2 of 3

Report Number : Q230003aR231675
 Job Number : R231675
 Issue Date : 25/10/2023

Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R231675/1	19/10/2023	U2	1.1
R231675/2	19/10/2023	U2#	1.4
R231675/3	19/10/2023	U1	4.6
R231675/4	19/10/2023	U1#	4.4
R231675/5	19/10/2023	SW	5.6
R231675/6	19/10/2023	SW#	6.0
R231675/7	19/10/2023	HT	7.9
R231675/8	19/10/2023	HT#	8.4
R231675/9	19/10/2023	TKW1	9.3
R231675/10	19/10/2023	TKW1#	8.4
R231675/11	19/10/2023	TKW	7.1
R231675/12	19/10/2023	TKW#	6.8

Test Report

Page 3 of 3

Report Number : Q230003aR231675

Job Number : R231675

Issue Date : 25/10/2023

Note:

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

End of Report

Acumen Laboratory and Testing Limited

Flat/Rm D, 12/F, Ford Glory Plaza, Nos. 37-39 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
Tel: (852) 2333 6823 Fax: (852) 2333 1316

Test Report

Page 1 of 3


Report Number : Q230003aR231697
Job Number : R231697
Issue Date : 27/10/2023
Applicant Name : Acuity Sustainability Consulting Limited
Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,
Cheung Sha Wan, Kowloon, Hong Kong
Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works
Test Required : Total Suspended Solids (TSS)
Sampling Date : 21/10/2023
Date Samples Received : 21/10/2023
Sample Nature : Wastewater
Number of Samples Received : 12
Condition Received : Sample(s) arrived laboratory in chilled condition
Type of Container : HDPE Plastic Bottles
Laboratory ID : R231697/1 – 12
Test Period : 21/10/2023 – 22/10/2023
Method Used : APHA 23ed 2540D for Total Suspended Solids

Test Result : Refer to the results on page 2-3.

For and on behalf of

Acumen Laboratory and Testing Limited

Authorized Signature :



Hui Wai Fung, Huntington
Laboratory Manager
Chemical and Microbiological Division

Acumen Laboratory and Testing Limited

Flat/Rm D, 12/F, Ford Glory Plaza, Nos. 37-39 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
 Tel: (852) 2333 6823 Fax: (852) 2333 1316

HOKLAS 241
 TEST

Test Report

Page 2 of 3

Report Number : Q230003aR231697
 Job Number : R231697
 Issue Date : 27/10/2023

Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R231697/1	21/10/2023	U2	1.6
R231697/2	21/10/2023	U2#	1.2
R231697/3	21/10/2023	U1	2.1
R231697/4	21/10/2023	U1#	2.5
R231697/5	21/10/2023	SW	1.8
R231697/6	21/10/2023	SW#	2.0
R231697/7	21/10/2023	HT	2.3
R231697/8	21/10/2023	HT#	2.6
R231697/9	21/10/2023	TKW1	2.3
R231697/10	21/10/2023	TKW1#	2.1
R231697/11	21/10/2023	TKW	1.4
R231697/12	21/10/2023	TKW#	1.3

Acumen Laboratory and Testing Limited

Flat/Rm D, 12/F, Ford Glory Plaza, Nos. 37-39 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
Tel: (852) 2333 6823 Fax: (852) 2333 1316

Test Report

Page 3 of 3

Report Number : Q230003aR231697

Job Number : R231697

Issue Date : 27/10/2023

Note:

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

End of Report

Acumen Laboratory and Testing Limited

Flat/Rm D, 12/F, Ford Glory Plaza, Nos. 37-39 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
Tel: (852) 2333 6823 Fax: (852) 2333 1316

Test Report

Page 1 of 3


Report Number : Q230003aR231698
Job Number : R231698
Issue Date : 27/10/2023
Applicant Name : Acuity Sustainability Consulting Limited
Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,
Cheung Sha Wan, Kowloon, Hong Kong
Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works
Test Required : Total Suspended Solids (TSS)
Sampling Date : 24/10/2023
Date Samples Received : 24/10/2023
Sample Nature : Wastewater
Number of Samples Received : 12
Condition Received : Sample(s) arrived laboratory in chilled condition
Type of Container : HDPE Plastic Bottles
Laboratory ID : R231698/1 – 12
Test Period : 24/10/2023 – 25/10/2023
Method Used : APHA 23ed 2540D for Total Suspended Solids

Test Result : Refer to the results on page 2-3.

For and on behalf of

Acumen Laboratory and Testing Limited

Authorized Signature :



Hui Wai Fung, Huntington
Laboratory Manager
Chemical and Microbiological Division

Acumen Laboratory and Testing Limited

Flat/Rm D, 12/F, Ford Glory Plaza, Nos. 37-39 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
 Tel: (852) 2333 6823 Fax: (852) 2333 1316

Test Report

Page 2 of 3

Report Number : Q230003aR231698
 Job Number : R231698
 Issue Date : 27/10/2023

Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R231698/1	24/10/2023	U2	1.6
R231698/2	24/10/2023	U2#	1.9
R231698/3	24/10/2023	U1	1.8
R231698/4	24/10/2023	U1#	1.6
R231698/5	24/10/2023	SW	2.3
R231698/6	24/10/2023	SW#	2.7
R231698/7	24/10/2023	HT	1.6
R231698/8	24/10/2023	HT#	1.8
R231698/9	24/10/2023	TKW1	2.2
R231698/10	24/10/2023	TKW1#	2.3
R231698/11	24/10/2023	TKW	2.5
R231698/12	24/10/2023	TKW#	2.5

Test Report

Page 3 of 3

Report Number : Q230003aR231698

Job Number : R231698

Issue Date : 27/10/2023

Note:

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

End of Report

Acumen Laboratory and Testing Limited

Flat/Rm D, 12/F, Ford Glory Plaza, Nos. 37-39 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
Tel: (852) 2333 6823 Fax: (852) 2333 1316

Test Report

Page 1 of 3


Report Number : Q230003aR231760
Job Number : R231760
Issue Date : 01/11/2023
Applicant Name : Acuity Sustainability Consulting Limited
Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,
Cheung Sha Wan, Kowloon, Hong Kong
Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works
Test Required : Total Suspended Solids (TSS)
Sampling Date : 26/10/2023
Date Samples Received : 26/10/2023
Sample Nature : Wastewater
Number of Samples Received : 12
Condition Received : Sample(s) arrived laboratory in chilled condition
Type of Container : HDPE Plastic Bottles
Laboratory ID : R231760/1 – 12
Test Period : 26/10/2023 – 27/10/2023
Method Used : APHA 23ed 2540D for Total Suspended Solids

Test Result : Refer to the results on page 2-3.

For and on behalf of

Acumen Laboratory and Testing Limited

Authorized Signature :



Hui Wai Fung, Huntington

Laboratory Manager

Chemical and Microbiological Division

Acumen Laboratory and Testing Limited

Flat/Rm D, 12/F, Ford Glory Plaza, Nos. 37-39 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
 Tel: (852) 2333 6823 Fax: (852) 2333 1316

HOKLAS 241
 TEST

Test Report

Page 2 of 3

Report Number : Q230003aR231760
 Job Number : R231760
 Issue Date : 01/11/2023

Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R231760/1	26/10/2023	U2	1.4
R231760/2	26/10/2023	U2#	1.5
R231760/3	26/10/2023	U1	5.0
R231760/4	26/10/2023	U1#	5.4
R231760/5	26/10/2023	SW	1.3
R231760/6	26/10/2023	SW#	1.2
R231760/7	26/10/2023	HT	1.7
R231760/8	26/10/2023	HT#	2.0
R231760/9	26/10/2023	TKW1	6.2
R231760/10	26/10/2023	TKW1#	7.0
R231760/11	26/10/2023	TKW	7.3
R231760/12	26/10/2023	TKW#	8.1

Test Report

Page 3 of 3

Report Number : Q230003aR231760
Job Number : R231760
Issue Date : 01/11/2023

Note:

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

End of Report

Acumen Laboratory and Testing Limited

Flat/Rm D, 12/F, Ford Glory Plaza, Nos. 37-39 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
Tel: (852) 2333 6823 Fax: (852) 2333 1316

Test Report

Page 1 of 3


Report Number : Q230003aR231761
Job Number : R231761
Issue Date : 03/11/2023
Applicant Name : Acuity Sustainability Consulting Limited
Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,
Cheung Sha Wan, Kowloon, Hong Kong
Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works
Test Required : Total Suspended Solids (TSS)
Sampling Date : 28/10/2023
Date Samples Received : 28/10/2023
Sample Nature : Wastewater
Number of Samples Received : 12
Condition Received : Sample(s) arrived laboratory in chilled condition
Type of Container : HDPE Plastic Bottles
Laboratory ID : R231761/1 – 12
Test Period : 28/10/2023 – 30/10/2023
Method Used : APHA 23ed 2540D for Total Suspended Solids

Test Result : Refer to the results on page 2-3.

For and on behalf of

Acumen Laboratory and Testing Limited

Authorized Signature :



Hui Wai Fung, Huntington

Laboratory Manager

Chemical and Microbiological Division

Acumen Laboratory and Testing Limited

Flat/Rm D, 12/F, Ford Glory Plaza, Nos. 37-39 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
 Tel: (852) 2333 6823 Fax: (852) 2333 1316

HOKLAS 241
TEST

Test Report

Page 2 of 3

Report Number : Q230003aR231761
 Job Number : R231761
 Issue Date : 03/11/2023

Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R231761/1	28/10/2023	U2	1.6
R231761/2	28/10/2023	U2#	1.8
R231761/3	28/10/2023	U1	8.5
R231761/4	28/10/2023	U1#	9.3
R231761/5	28/10/2023	SW	2.1
R231761/6	28/10/2023	SW#	2.5
R231761/7	28/10/2023	HT	2.8
R231761/8	28/10/2023	HT#	2.8
R231761/9	28/10/2023	TKW1	4.5
R231761/10	28/10/2023	TKW1#	5.2
R231761/11	28/10/2023	TKW	2.3
R231761/12	28/10/2023	TKW#	2.7

Test Report

Page 3 of 3

Report Number : Q230003aR231761

Job Number : R231761

Issue Date : 03/11/2023

Note:

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

End of Report

Acumen Laboratory and Testing Limited

Flat/Rm D, 12/F, Ford Glory Plaza, Nos. 37-39 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
Tel: (852) 2333 6823 Fax: (852) 2333 1316

Test Report

Page 1 of 3


Report Number : Q230003aR231762
Job Number : R231762
Issue Date : 06/11/2023
Applicant Name : Acuity Sustainability Consulting Limited
Applicant Address : Unit E, 12/F, Ford Glory Plaza, No. 37-39 Wing Hong Street,
Cheung Sha Wan, Kowloon, Hong Kong
Project Name : Hung Shui Kiu/Ha Tsuen New Development Area Stage 1 Works
Test Required : Total Suspended Solids (TSS)
Sampling Date : 31/10/2023
Date Samples Received : 31/10/2023
Sample Nature : Wastewater
Number of Samples Received : 12
Condition Received : Sample(s) arrived laboratory in chilled condition
Type of Container : HDPE Plastic Bottles
Laboratory ID : R231762/1 – 12
Test Period : 31/10/2023 – 01/11/2023
Method Used : APHA 23ed 2540D for Total Suspended Solids

Test Result : Refer to the results on page 2-3.

For and on behalf of

Acumen Laboratory and Testing Limited

Authorized Signature :



Hui Wai Fung, Huntington
Laboratory Manager
Chemical and Microbiological Division

Acumen Laboratory and Testing Limited

Flat/Rm D, 12/F, Ford Glory Plaza, Nos. 37-39 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
 Tel: (852) 2333 6823 Fax: (852) 2333 1316

HOKLAS 241
TEST

Test Report

Page 2 of 3

Report Number : Q230003aR231762
 Job Number : R231762
 Issue Date : 06/11/2023

Test Result:

Lab ID	Sampling Date	Client Sample ID	Total Suspended Solids (TSS), mg/L
R231762/1	31/10/2023	U2	2.1
R231762/2	31/10/2023	U2#	2.1
R231762/3	31/10/2023	U1	5.5
R231762/4	31/10/2023	U1#	5.8
R231762/5	31/10/2023	SW	2.6
R231762/6	31/10/2023	SW#	2.4
R231762/7	31/10/2023	HT	2.6
R231762/8	31/10/2023	HT#	2.3
R231762/9	31/10/2023	TKW1	1.6
R231762/10	31/10/2023	TKW1#	1.9
R231762/11	31/10/2023	TKW	1.9
R231762/12	31/10/2023	TKW#	2.2

Acumen Laboratory and Testing Limited

Flat/Rm D, 12/F, Ford Glory Plaza, Nos. 37-39 Wing Hong Street, Cheung Sha Wan, Kowloon, Hong Kong
Tel: (852) 2333 6823 Fax: (852) 2333 1316

Test Report

Page 3 of 3

Report Number : Q230003aR231762

Job Number : R231762

Issue Date : 06/11/2023

Note:

1. mg/L indicates milligram per liter
2. < indicates less than.
3. Reporting limit is 2.5mg/L for 1L sample
4. Reporting limit is 1 mg/L for 2.5L sample
5. Applicant name, applicant address, project name, sampling date, sample ID and sample nature are provided by applicant.
6. The result(s) relate only to the item(s) tested.
7. The result(s) are applied only to the sample(s) received.

End of Report